

AMBIENTE RAVNI KROJ


- Dodajte suptilne prelaze na krovove velikih razmera
- Brojni različiti oblici olakšavaju maštoviti dizajn krovova na najvišem nivou
- Ovaj izbor pokriva skoro svaki zamislivi dizajn krova, od tradicionalnih narodnih stilova do pionirske modernosti
- Povezivanje tradicije i modernosti

TEHNIČKI PODACI


Dimenzije (pribl.)	180 x 380 x 14 mm
Maks. pokrivna širina (pribl.)	180 mm
Min. letvanje (pribl.)	145 mm
Pros. pokrivna dužina pribl.	155 mm
Maks. letvanje (pribl.)	165 mm
Prosečno potreban crep (pribl.)	36 kom./m ²
Jedinična težina (pribl.)	1.9 kg/komad
Težina po m ² (pribl.)	68.4 kg/m ²
Težina po paleti (pribl.)	979 kg
Komada po mini pakovanju	8 komad
Kom. po paleti	480 komad









Tehnički crtež proizvoda AMBIENTE Ger-1-1





Tehnički crtež proizvoda AMBIENTE Ger-3-4







Tehnički crtež proizvoda AMBIENTE Ger-Firstanschluss



Tehnički crtež proizvoda AMBIENTE Ger-LUEFTZ





Tehnički crtež proizvoda AMBIENTE Ger-Traufziegel

